

REPUBLIC OF THE PHILIPPINES

NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL

National Disaster Risk Reduction and Management Center, Camp Aguinaldo, Quezon City, Philippines

NDRRMC UPDATE

Situational Report No. 18 regarding Magnitude 6.3 and 6.6 Earthquakes in Tulunan, North Cotabato as of 12:00 NN

Releasing Officer:

UNDERSECRETARY RICARDO B JALAD

Executive Director, NDRRMC and Administrator, OCD

DATE: 29 October 2019, 12:00 NN

Sources: DOST-PHIVOLCS, DOH, DOE, DPWH, DSWD, DepEd, OCDROs X, XI, XII, BARMM, and CARAGA

I. Situation Overview

A. Magnitude 6.6 Eearthquake on 29 October 2019

On 29 October 2019, 09:04 AM, an earthquake occurred in Tulunan (Cotabato) with the following details:

Date/Time	29 Oct 2019 - 09:04:43 AM
Location	06.78°N, 125.04°E - 025 km S 71° E of Tulunan (Cotabato)
Depth of Focus (Km)	007
Origin	TECTONIC
Magnitude	Ms 6.6
Expecting Damage	YES
Expecting Aftershocks	YES
Reported Intensities	Intensity VII - Tulunan & Makilala, Cotabato; Kidapawan City; Malungon, Sarangani Intensity VI - Davao City; Koronadal City; Cagayan de Oro City Intensity V - Tampakan, Surallah and Tupi, South Cotabato; Alabel, Sarangani Intensity IV - General Santos City; Kalilangan, Bukidnon Intensity III - Sergio Osmeña Sr., Zamboanga del Norte; Zamboanga City; Dipolog City; Molave, Zamboanga del Norte; Talakag, Bukidnon Intensity I- Camiguin, Mambajao Instrumental Intensities: Intensity VII - Kidapawan City; Malungon, Sarangani Intensity V - Alabel, Sarangani; Tupi, South Cotabato Intensity IV - Gingoog City, Misamis Oriental; General Santos City Intensity II - Zamboanga City

	Intensity I- Dipolog City; Bislig City; Palo, Leyte	
Issued on	29 October 2019 – 09:44 AM	

B. Magnitude 6.3 Eearthquake on 16 October 2019

On 16 October 2019, at around 7:37 PM, a magnitude 6.3 earthquake occurred in Tulunan, North Cotabato with the following details:

Date/Time	16 October 2019 – 07:37: 05 PM
Location	06.76°N, 125.01°E - 023 km S 62° E of Tulunan (North Cotabato)
Depth of	
Focus (Km)	009
Origin	TECTONIC
Magnitude	Ms 6.3
Expecting	
Damage	YES
Expecting	
Aftershocks	YES
Reported Intensities	Intensity VII – Tulunan, M'lang and Makilala, Cotabato; Magsaysay and Digos City, Davao del Sur; and Kidapawan City Intensity VI – Sto. Niño, South Cotabato; Tacurong City, Sultan Kudarat Intensity V – Alabel & Malungon, Sarangani; Lake Sebu, Palomolok, Tampakan, and Tupi, South Cotabato; Koronadal City; Roxas & Pikit, Cotabato; General Santos City; Davao City; Kalamansig, Lebak, and Palimbang, Sultan Kudarat Intensity IV – Kiamba, Sarangani; Esperanza and Rosario, Agusan del Sur; Kailangan, Quezon, Kadingilan, and Damulog, Bukidnon; Mawab, Campostela Valley; Cotabato City; Matanog, Barira, and Sultan Kudarat, Maguindanao Intensity III – Santa Josefa, Agusan del Sur; Iligan City; Dipolog City; Cagayan de Oro City; Gingoog City, Misamis Oriental Intensity II – Butuan City; Zamboanga City Intensity I – Hinatuan, Surigao del Sur Intensity VII – Kidapawan City Intensity V – Tupi and Polomolok, South Cotabato; Alabel, Sarangani Intensity IV – Kiamba, Sarangani; T'boli, South Cotabato; General Santos City Intensity III – Cagayan de Oro City; Gingoog City, Misamis Oriental Intensity III – Cagayan de Oro, Misamis Oriental Intensity III – Cagayan de Oro, Misamis Oriental Intensity II – Dipolog City; Bislig City 17 October 2019 – 5:15 PM

From 16-27 October 2019, a total of <u>870 aftershocks</u> of the Magnitude 6.3 EQ were recorded. Of which, 468 were plotted and 53 were felt, ranging from magnitude 1.5 to 5.5 and Intensity of I to VII.

 Source: DOST-PHIVOLCS

II. Effects

C. Incident Monitored

On 16 October 2019, minutes after the magnitude 6.3 earthquake, a fire incident occurred at the Gaisano Mall in General Santos City. The cause of fire is for further validation by the BFP XII. Initially, it was declared under control on 17 October 2019,1:00 PM. However, at around 6:30 PM on the

same day, the fire rekindled and affected the 3rd floor of the mall. Fire-out was declared on 17 October 2019, 10:30 PM.

On 29 October 2019, after the magnitude 6.6 Earthquake, a fire broke-out and is still ongoing at G Skin and Domantay Jamora Dental Clinic in General Santos City, South Cotabato.

D. Affected Population

- A total of <u>7,303 families / 35,481 persons</u> (previous report: 7,293 families / 35,465 persons) were affected in <u>127 barangays</u> in Regions XI and XII.
- Of which, a total of <u>936 families / 4,604 persons</u> are still being served inside **3 ECs** while <u>407 families / 2,035 persons</u> are served outside ECs.

	NO. OF AFFECTED				SERVED POPULATION				
REGION / PROVINCE / CITY / MUNICIPALITY				No. of	INSIDE ECs		OUTSIDE ECs		
	Barangays	Families	Persons	ECs	Families	Persons	Families	Persons	
GRAND TOTAL	127	7,303	35,481	<u>3</u>	936	4,604	407	2,035	
REGION XI	40	1,842	9,210	1	149	669	382	1,910	
Davao del Sur	36	1,822	9,110	1	149	669	382	1,910	
Bansalan	8	496	2,480	0	0	0	109	545	
Magsaysay	17	1,180	5,900	1	149	669	203	1.015	
Matanao	11	146	730	-	0	-	70	350	
Davao Occidental	4	20	100	-		-	-	-	
Santa Maria	4	20	100	-	-	_	_		
REGION XII	87	5,461	26,271	2	787	3,935	25	125	
North Cotabato	85	5,439	26,195	2	787	3,935	25	125	
City of Kidapawan (capital)	4	763	3,815	1	757	3785	-	-	
Magpet	3	87	435	-	-	_			
Makilala	38	3,311	15,555	1	30	150	25	125	
Matalam	1	2	10	-	-	-	-	-	
M'lang	10	255	1,275	-	_	-	2	-	
Tulunan	29	1,021	5,105	ran i	_	-	-		
Sultan Kudarat	2	22	76	-	_	- 1	-		
Columbio	2	22	76	-	-	_	n=	_	

Source: DSWD DROMIC Report No. 11 as of 24 October 2019, 6:00 PM

Note: Ongoing assessment and validation.

NO SIGNIFICANT CHANGES FROM PREVIOUS SITREP

E. Casualties

Due to Ms 6.3 Earthquake, a total of <u>7 dead and 215 injured persons</u> were reported in Regions XI, XII, and BARMM.

PROVINCE/CITY/ MUNICIPALITY	DEAD	INJURED	REMARKS
TOTAL	7	215	现的表示如此是这种的。 第15章
Region XI	3	136	
Davao del Sur	3	136	
Magsaysay	3	45	Causes of death were due to collapsed wall debris and landslide. Most of the injured persons sustained minor injuries.
Bansalan	(=	16	most strate injuried percente edetained miller injuries.
Kiblawan	-	6	Minor injuries
Hagonoy		2	Admitted at Southern Philippines Medical Center
Matanao	9	2	Admitted in different hospitals in Digos City
Digos City	-	65	Minor injuries
Region XII	3	79	
Cotabato	3	43	
Alamada	1	-	Died due to sudden cardiac arrest
M'lang	1	11	Died due to cardiac arrest secondary to

PROVINCE/CITY/ MUNICIPALITY	DEAD	INJURED	REMARKS
			hypertension
Kidapawan City	-	3	Injured persons were brought to Kidapawan City Hospital.
Makilala	1	24	Reported death was due to cardiac arrest. Injured persons were brought to Makilala Medical Hospital.
Tulunan	-	4	. 100 picar.
Pres. Roxas	=	1	
South Cotabato	-	29	
Koronadal City	•	27	
Tantangan		1	
Tupi	=)	1	
General Santos City	-	7	
BARMM	1	0	
Maguindanao	1	0	Jhonavie L. Sendad, 7-year old female from Brgy. Damawato, Datu Paglas died due to collapsed wall during the earthquake incident (validated by OCD – BARMM)

Source: OCDROs XI, XII, and BARMM

Note: Reported casualties are for further validation and verification.

NO SIGNIFICANT CHANGES FROM PREVIOUS SITREP

F. Damage to Infrastructure (TAB A)

Due to Ms 6.3 Earthquake, a total of <u>7,089</u> (previous report: 6,971 infrastructures) in **Regions X, XI, XII, and BARMM** were reported damaged due to the incident as shown below:

INFRASTRUCTURE	TOTALLY DAMAGED	PARTIALLY DAMAGED	TOTAL DAMAGE
GRAND TOTAL	1,312	5,777	7,089
Houses	1,288	5,030	6,318
Schools	10	528	538
Health Facilities	2	43	45
Other Public Structures	6	108	114
Places of Worship	4	28	32
Private / Commercial Establishments	2	16	16
Roads and Bridges	-	13	13

Sources: OCDROs X, XI, XII, and BARMM, DEPED, DPWH, and DSWD DROMIC Report No. 9 on EQ Incident in Tulunan, Cotabato as of 23 October 2019, 6:00 PM

Note: Figures are still subject for validation and verification. Decrease in the number of damaged schools is due to continuous validation.

NO SIGNIFICANT CHANGES FROM PREVIOUS SITREP

G. Status of Lifelines (TAB B)

Power Supply

1. Ms 6.6 EQ on 29 October 2019

Twelve (12) cities/municipalities in the Provinces of Cotabato, South Cotabato, Sultan Kudarat, and Sarangani have reported power outages.

2. Ms 6.3 EQ on 16 October 2019

A total of **39 areas** in Regions XI and XII experienced power outage on 16 October 2019. Power supply in all these areas was restored on 17 October 2019, 12:43 AM.

Sources: DOE and OCDRO XII

H. Suspension of Classes and Work (TAB C)

1. Ms 6.6 EQ on 29 October 2019

- Thirty-four (34) cities/municipalities in the Provinces of Cotabato, South Cotabato, Sarangani, and Sultan Kudarat (Region XII) declared suspension of classes on 29 October 2019.
- Magpaet, Cotabato and General Santos City, South Cotabato suspended work.

2. Ms 6.3 EQ on 16 October 2019

A total of **46** areas in Regions XI, XII, and BARMM declared suspension of classes and work on 17 October 2019. As of 20 October 2019, suspension in all classes and work has been lifted.

Sources: OCDROs XII, BARMM, and DepEd

NO SIGNIFICANT CHANGES FROM PREVIOUS SITREP

G. Declaration of State of Calamity:

The following areas were declared under State of Calamity:

REGION/ PROVINCE/ CITY/MUNICIPALITY	RESOLUTION NO.	DATE	
REGION XI			
Davao del Sur		The state of the s	
Matanao	Resolution No. 19-149, s. 2019	17 October 2019	
Bansalar	Resolution No. 378, s. 2019	18 October 2019	
REGION XII		建制的有效的表现的,但是不是不是	
Cotabato			
Makilala	Resolution No. 46, s. 2019	17 October 2019	
Tulunar	Resolution No. 244, s. 2019	21 October 2019	
Kidapawar	Resolution No. 19-369	22 October 2019	

III. Actions Taken

A. NATIONAL DRRM COUNCIL (NDRRMC)

NDRRM Operations Center (NDRRMOC)

- a. The alert status was raised to BLUE at the NDRRM Operations Center effective 18 October 2019, 5:00 PM.
- b. Prepared the Emergency Alert Warning Message (EAWM) for dissemination of Telecommunication Companies to the affected areas.

EAWM	Date & Time	Area
MLv 6.3	16 October 2019, 8:00 PM	Tulunan, North Cotabato
MLv 5.3	17 October 2019, 5:10 AM	Manay, Davao Oriental
MLv 5.3	17 October 2019, 9:40 AM	Jose Abad Santos, Davao Occidental
ML6.4	29 October 2019, 9:15 AM	Cotabato, Davao del Sur, South Cotabato, Sultan Kudarat, Compostella Valley, Maguindanao, Agusan del Sur, Surigao del Sur

c. Continuous coordination with NDRRMC Member-Agencies and affected OCDROs.

B. REGIONAL DRRM COUNCIL

1. RDRRMC XII

a. Deployed Rapid Damage Assessment and Needs Analysis Team in Koronadal City, South Cotabato and North Cotabato to assess the damages brought about by Ms 6.6 Earthquake.

IV. Cost of Assistance

A total of <u>₱6,374,933.00</u> (previous report: ₱4,844,933.00) worth of assistance was provided by **DSWD**, **NHA**, **OCD ROs XI and XII** to the affected families of Ms 6.3 Earthquake.

REGION / PROVINCE /	10000000000000000000000000000000000000	TO	OTAL COS	ST OF ASSISTA	NCE (₱)	Philippine Service (1)
MUNICIPALITY	DSWD	LGU	NGOs	NHA	OCD	GRAND TOTAL
GRAND TOTAL	3,144,933.00			2,940,000.00	290,000.00	
REGION XII	2,351,536.00			2,940,000.00	250,000.00	
North Cotabato	2,351,536.00			2,940,000.00	The second secon	
City of Kidapawan (Capital)	774,690.00			280,000.00		, , , , , , , , , , , , , , , , , , , ,
Magpet	101,052.00					101,052.00
Makilala	932,656.00			660,000.00	110,000.00	
Tulunan	543,138.00			1,530,000.00		2,073,138.00
Alamada					20,000.00	
M'lang				470,000.00	80,000.00	
REGION XI	793,397.00				40,000.00	
Davao del Sur	793,397.00				0	793,397.00
Bansalan	222,267.00					222,267.00
Magsaysay	571,130.00					571,130.00
Davao del Norte					40,000.00	
Tagum City Sources: OCDROs XI, XII, and DSWD, DB					40,000.00	40.000.00

Sources: OCDROs XI, XII and DSWD DROMIC Report No. 11 on the Earthquake Incident in Tulunan, North Cotabato as of 24 October 2019, 6:00 PM

Note: Ongoing assessment and validation being conducted.

Effects of Magnitude 6.3 Earthquake in Tulunan, North Cotabato DAMAGE TO INFRASTRUCTURE

as of 29 October 2019, 12:00 NN

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
	GRAND TOTAL	1,312		
HOUSES			5,777	E CHARLES
Region XI		1,288 526	5,030	
avao del Sur		526	1,066 1,045	
Magsaysay		359	821	
Matanao Bansalan		103	43	
avao Occidental		64 0	181 21	
Santa Maria		0	20	
Malita		0	1	
egion XII otabato Province		762	3,963	
Kidapawan City		762	3,951 37	
Matalam			2	
Magpet M'lang		4	83	
Tulunan		380	255 641	
Makilala		378	2,933	
ultan Kudarat Columbio			12	9
ARMM			12	
laguindanao		•	1	
Talayan		-	1	
CHOOLS		10	528	
egion XI		0	9	
ukidnon		0	9	
	Batangan Elementary School	-	1	
ŀ	Catumbalon Elementary School		1	-
ŀ	Malingon Elementary School		1	-
H	Cabanuangan Elementary School			-
Valencia City	High School, Poblacion	-	1	Minorare
raisina eny			1	Minor cracks / structural flexural cracks
-	Liloan Elementary School	-	1	_
-	School of the Morning Star	•	1	_
-	Mt. Nebo Integrated School	-	1	
anian VI	Lilingayan National High School	-	1	
egion XI		4	155	
avao City	41 MA-14 (ME) 1874 187 187 187	0	23	
-	A. Mabini Elementary School	-	1	
-	Agdao Elementary School	-	1	
	Baguio Central Elementary School	-	1	
-	Binugao Central Elementary School	-	1	
-	Buda National High School	-	1	
-	Bunawan Aplaya Elementary School	-	1	
-	Calinan National High School	2	1	
-	Diego Silang Elementary School	-	1	
-	J. Cruz Sr. Elementary School	-	1	
-	Kabacan Elementary School		1	
-	Kanacan Elementary School		1	
1	Langub Elementary School	-	1	
-	Lourdes Elementary School		1	
-	Lower Tamugan Nhs	-	1	
-	Magtuod Elementary School	1.0	1	
L	Mahayag National High School		1	
-	Malagos Elementary School Sped Center)(1	
	Mangas-As Elementary School		1	
-	San Lorenzo Elementary School	22	1	
-	Talomo Central Elementary School	-	1	
-	Tawantawan Elementary School	(5)	1 .	
-	Unapan Elementary School	(7)	1	
avao del Sur	Waan Elementary School		1	
Astorga	Ideas Elementes Cabari	4	88	
Astorga	Idong Elementary School		1	3 classrooms partially damaged (minor)
-	New Clarin National High School	-	1	
-	Union Elementary School	-	1	
L	Anonang Elementary School	1.5	1	
L	Sibayan Elementary School		1	
200gs1 200	St. Mary's College	2	1	
Bansalan	Nazareth High School	//#II	1	
	Bansalan Central Elementary School	(+)	1	
	Darapuay Elmentary School	(2)	1	
Γ	Kinuskusan Elementary School	(5)	1	
	Barayong Central School	-	1	
	Linawan Elementary School	-	1	
	Bala National High School	-	1	
	morning that a decrease of the state of the			
-	San Isidro National High School	720		
	San Isidro National High School Kasuna Elementary School	740	11	
	San Isidro National High School Kasuga Elementary School Salud Cagas Technical and Vocational High School		1 1	

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
-	Dona Salud High Scholl Balnate Elementary School	-	1	
	Blocon Elementary		1	4 classrooms partially damaged (minor)
			001	5 clasrooms totally damaged 4 classrooms partially damaged (major) & 6 clasrooms partially damaged (major)
D	Lower Bala National High School		1	damaged (minor)
Darong	Darong Elementary School		1	7 classrooms partially damaged (minor)
	Bagumbuhay Elementary School Digos City Central Elementary School	-	1	
D: 01	Digos City National High School - Balabag High School Annex	-	1	
Digos City	Digos City National High School - Soong High School Annex	-	1	Perimeter fence collapsed
	Goma National High School	-	1	
	Mahayahay Elementary School	-	1	
	Pedro Basalan Elementary School	-	1	
	Ruparan National High School	-	1	
	Science High School In Digos City	-	1	
Digos City	Digos City Matti National High School Digos City National High	-	1	1 damaged classroom and 1 computer lab
	School		1	Damaged concrete fence
	Cor Jesu College	-	1	
	UM Digos College		1	
	Kauswagan Elementary School	-	1	
	New Mucia Elementary School	-	1	
-	New Katipunan Elementary School		1	
	Sinawilan Elementary School	-	1	
-	Camanchiles Elementary School Cabligan Elementary School	-	1	
-	Catalino G.Tampipi Elementary School	 	1	
	Alfredo Eugenio Elemetary School	-	1	
<u> </u>	Kibao Elementary School	1	1	
Matanao	Buas Elementary School		1	
	Ceboza Elementary School	-	1	
	San Vicente Elementary School	-	1	
1	Sampaguita Elementary School		1	
	Matanao Central Elementary School	1	=	2nd storey wall collapsed at the back, column post crack subject for demolition
	New Visayas Elementary School	1	-	Collapsed
	Sinawilan National High School	-	1	Cracked building
	Matanao National High School		1	- Tanana
	Marcos Elementary School	-	1	
	Colonsabac Elementary School	-	1	With cracked buildings, falling ceiling, damaged para
	Padada National High School	-	1	With cracked buildings, falling ceiling, damaged paraget
Padada	Padada South Elementary School St. Michael's School	-	1	With cracked buildings, falling ceiling, damaged para- With cracked buildings, falling ceiling, damaged para-
	TESDA Building	-	1	With cracked buildings, falling ceiling, damaged para
	Tulogan Elementary School		1	With cracked buildings, falling ceiling, damaged para
	La Union Elementary School	-	1	With minor damages
-	Hagonoy Central Elementary School	-	1	With minor damages
	Clib Pre-School	05	1	With minor damages
Hagonoy	Lanuro Elementary School San Guillermo Elementary School	-	1	With minor damages
	Sacub National High Shool	-	1	With minor damages
	Sacub Elementary School	-	1	With minor damages
	Cerino L Lamosa Elementary School		1	
	Guihing National High School	-	1	10/file aring days
	Serapion C. Basalo Memorial Elementary School	1		With minor damages
	Kiblawan Central Elementary School	120	1	With minor damages
	Holy Cross of Kiblawan	-	1	With minor damages
	Bagong Silang Primary School	-	1	With cracks, recommended for inspection by DPWH
	Kibongbong Elementary School	-	1	With minor cracks
Kiblawan	Sto. Niño Elementary School	-	1	
	,,	-	- T:	With cracks, recommended for inspection by DPWH
	Ihan National High School	-	1	Newly constructed; with significant movements of posts
	Molopolo National High School	1	-	appeared unsymmetrical
lactions, Service	Manual Elementary School	-	1	Severely damaged; considered unsafe for students
	Bonifacio Elementary School	-	1	With minor cracks
Malaybalay	New Ilocos Elementary School		1	3 classrooms partially damaged (minor)
parents vs	Malalag Central Elementary School	151	1	Concrete walls inclined
Malalag	Davao del Sur School of Fisheries	-	1	6 classrooms and computer laboratory
	Holy Cross of Malalag	NO.	1	PM Sisters Convent partially damaged
	Apolonio Franco Sr. Elementary School	15	1	, and a series of
Sta. Cruz	Bato National High School	J-1	1	
	Tagabuli Elementary School	-	1	
	Agripina Elementary School	-	1	
	Sta. Cruz National High School		1	
Sta. Cruz	Manuel Francisco Sr. High School	-	1	
	Don Amancio Bendigo Sr. Elementary School		1	2 classrooms totally damaged, 1 classroom partially dam
				(major), and 1 classroom partially damaged (minor)
	Talas Elementary School		1	
Sulos	lemals - Floreston Oct - 1			
Sulop	Jornales Elementary School Cebu Elementary School	-	1	

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
B. E. Dujali	Dujali National High School		1	4 classrooms has minor cracks and 2 rooms are tempor
, ,	Tanglaw National High School		1	4 classrooms with minor crack
	Camiling Elementary School		1	
Carmen	Alejal Elementary School	-	1	3 classrooms critically damaged
	Taba Elemenetary School	•	1	2 classrooms critically damaged
	La Paz Elementary School	-	1	2 classrooms critically damaged
New Corella	New Corella National High School	-	1	Cracks on classrom walls
	Buenavista Elementary School	-	1	
	Cabili Elementary School		1	
	Central Elementary School		1	Minor cracks
	Dalisay Village Elementary School Gredu Elementary School	-	1	2 to 25
	Glecerio L. Dondoy Elementary School	-	1	Minor cracks
	Kasilak Elementary School	-	1	Minor cracks
	Katipunan Elementary School	-	1	1 room with major damage
	Katualan Elementary School		1	1 19911 Will major damage
	Kiotoy Elementary School		1	
	Manay Elementary School	4	1	Minor cracks
Panabo City	Nanyo Elementary School	-	1	Minor cracks
	Namuag Elementary School Panabo Central Elementary School Sped Center		1	
	Rizal Elementary School	-	1	
	Roxas Elementary School		1	1 building with major cracks
	San Francisco Elementary School		1	
	San Vicente National High School	-	1	
	Sta. Cruz Elementary School	-	1	
	Sto. Niño Elementary School	-	1	
	Teofanis Gerona Elementary School	-	1	
	Quezon National High School	-	1	
-	Tibungol Elementary Schoool Waterfall Elementary School		1	1000
	Appeal of the second of the se		1	6 classrooms with minor damage
	Sto. Tomas National High School New Katipunan Elementary School		1	Minor cracks on structure
Ota Tamas	Salvacion National High School	-	1	Light cracks on classroom walls Damaged ceiling in one of the classrooms at the 2nd fl
Sto. Tomas	San Jose Elementary School		1	Major cracks on H. E. Building walls, column, and floor
	Lunga-og Elementary School	-	1	Structural damage on elevated concrete tank
	Kinamon Elementary School		1	Minor cracks
Samal	Aumbay Elementary School		1	3 classrooms totally damaged
ostela Valley	0	0	6	P
	Ogao Elementary School Kao Senior High School	-	1	Cracks in every classroom ceiling
-	The second control of the Control of	-	1	Cracks in building
Nabunturan	Manat National High School	-	1	Cracks in Junior and Senior High building (Grade 9 and
	Nabunturan Central Elementary School	-	1	Cracks in Grade 4 and SPED Building
-	Nabunturan National Comprehensive Assumption College of Nabunturan		1	Cracks in Grade 10 and 12 Building
n XII	Assumption College of Naburitarian	- 6	333	Cracks mostly in the college building
Occidental		0	25	
	Malungon Gamay Elementary School		1	6 rooms with cracks
	Pag-asa Integrated School		1	9 classrooms with minor cracks
	Kawas Central Elementary School			3 classrooms with minor damages and 1 TLS
		-	1	
-	Lun Padidu National High School	-	1	8 classrooms with minor damages
	Malalag Central Elementary School	-	1	782- 88
	Malalag Central Elementary School Calatungan Elementary School		1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 4 classrooms with minor damages
	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade		1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks
	Malalag Central Elementary School Calatungan Elementary School		1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 4 classrooms with minor damages
	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School		1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks
Sarangani	Malaiag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center		1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks
Sarangani	Malaiag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School	-	1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks
Sarangani	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School	-	1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks
Sarangani	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School		1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 15 classrooms with minor damages 1 classrooms with minor damages
Sarangani	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Alegria National High School Tamban National High School Malalag Cogon National High School	-	1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks
Sarangani	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Tamban National High School Malalag Cogon National High School Tuyan Integrated School		1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 15 classrooms with minor damages 1 classrooms with minor damages With cracks and broken glass With cracks in different buildings 7 classrooms with minor cracks
Sarangani	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Tamban National High School Tamban National High School Malalag Cogon National High School Tuyan Integrated School Kinabalan Integrated School Domolok Integrated School		1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 18 classrooms with minor cracks 16 classrooms with minor damages 16 classrooms with minor damages With cracks and broken glass With cracks in different buildings 7 classrooms with minor cracks With minor cracks
Sarangani	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Tamban National High School Tamban National High School Malalag Cogon National High School Tuyan Integrated School Kinabalan Integrated School Domolok Integrated School Libi Integrated School		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 18 classrooms with minor damages 1 classrooms with minor damages With cracks and broken glass With cracks in different buildings 7 classrooms with minor cracks With minor cracks 3 classrooms with minor cracks 11 classrooms with minor cracks
Sarangani	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Tamban National High School Tamban National High School Malalag Cogon National High School Tuyan Integrated School Kinabalan Integrated School Domolok Integrated School		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 18 classrooms with minor cracks 16 classrooms with minor damages 1 classrooms with minor damages With cracks and broken glass With cracks in different buildings 7 classrooms with minor cracks With minor cracks 3 classrooms with minor cracks 11 classrooms with minor cracks With minor damages
Sarangani	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Alegria National High School Tamban National High School Tamban National High School Malalag Cogon National High School Tuyan Integrated School Kinabalan Integrated School Libi Integrated School Libi Integrated School Nop Elementary School Margus Elementary School Pangyan Elementary School		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 18 classrooms with minor cracks 15 classrooms with minor damages 1 classrooms with minor damages With cracks and broken glass With cracks in different buildings 7 classrooms with minor cracks With minor cracks 11 classrooms with minor cracks 11 classrooms with minor cracks 11 classrooms with minor cracks With minor damages Partially damaged room Partially damaged room
Sarangani	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Tamban National High School Tamban National High School Malalag Cogon National High School Tuyan Integrated School Kinabalan Integrated School Libi Integrated School Libi Integrated School Nop Elementary School Margus Elementary School		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 18 classrooms with minor cracks 15 classrooms with minor damages 1 classrooms with minor damages With cracks and broken glass With cracks and broken glass With cracks in different buildings 7 classrooms with minor cracks With minor cracks 11 classrooms with minor cracks 12 classrooms with minor cracks 13 classrooms with minor cracks 14 classrooms with minor cracks 15 classrooms with minor cracks 16 classrooms with minor cracks 17 classrooms with minor cracks 18 classrooms with minor cracks 19 classrooms with minor cracks 10 classrooms with minor cracks 11 classrooms with minor cracks 12 classrooms with minor cracks 13 classrooms with minor cracks 14 classrooms with minor cracks 15 classrooms with minor cracks 16 classrooms with minor cracks 17 classrooms with minor cracks 18 classrooms with minor cracks 19 classrooms with minor cracks 20 classrooms with minor cracks 21 classrooms with minor cracks 22 classrooms with minor cracks 23 classrooms with minor cracks 24 classrooms with minor cracks 25 classrooms with minor cracks 26 classrooms with minor cracks 27 classrooms with minor cracks 28 classrooms with minor cracks 3 classrooms with minor cracks 40 classrooms with minor cracks 41 classrooms with minor cracks 41 classrooms with minor cracks 42 classrooms with minor cracks 43 classrooms with minor cracks 44 classrooms with minor cracks 45 classrooms with minor cracks 46 classrooms with minor cracks 47 classrooms with minor cracks 48 classrooms with minor cracks 49 classrooms with minor cracks 40 classrooms wit
Sarangani	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Tamban National High School Tamban National High School Malalag Cogon National High School Tuyan Integrated School Kinabalan Integrated School Libi Integrated School Libi Integrated School Nop Elementary School Margus Elementary School Pangyan Elementary School Pangyan Elementary School San Roque Adarna Elementary School		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 18 classrooms with minor cracks 15 classrooms with minor damages 1 classrooms with minor damages With cracks and broken glass With cracks in different buildings 7 classrooms with minor cracks With minor cracks 11 classrooms with minor cracks 11 classrooms with minor cracks 11 classrooms with minor cracks With minor damages Partially damaged room Partially damaged room
Sarangani ato Province	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Tamban National High School Tamban National High School Malalag Cogon National High School Tuyan Integrated School Kinabalan Integrated School Libi Integrated School Libi Integrated School Nop Elementary School Margus Elementary School Pangyan Elementary School San Roque Adarna Elementary School		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 18 classrooms with minor cracks 15 classrooms with minor damages 1 classrooms with minor damages With cracks and broken glass With cracks and broken glass With cracks in different buildings 7 classrooms with minor cracks With minor cracks 3 classrooms with minor cracks 11 classrooms with minor cracks With minor damages Partially damaged room Partially damaged room Partially damaged room Partially damaged room
Sarangani	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Tamban National High School Tamban National High School Tuyan Integrated School Kinabalan Integrated School Kinabalan Integrated School Libi Integrated School Nop Elementary School Margus Elementary School Pangyan Elementary School San Roque Adarna Elementary School Banisilan Central Elementary School		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 18 classrooms with minor cracks 15 classrooms with minor damages 1 classrooms with minor damages With cracks and broken glass With cracks and broken glass With cracks in different buildings 7 classrooms with minor cracks With minor cracks 3 classrooms with minor cracks 11 classrooms with minor cracks With minor damages Partially damaged room Partially damaged room Partially damaged room Partially damaged room
Sarangani ato Province	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Alegria National High School Tamban National High School Malalag Cogon National High School Tuyan Integrated School Kinabalan Integrated School Libi Integrated School Libi Integrated School Nop Elementary School Margus Elementary School Pangyan Elementary School San Roque Adama Elementary School Banisilan Central Elementary School Riverside Primary School Riverside Primary School Rancho Elementary School		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 18 classrooms with minor cracks 16 classrooms with minor damages 16 classrooms with minor damages With cracks and broken glass With cracks and broken glass With cracks in different buildings 7 classrooms with minor cracks With minor cracks 3 classrooms with minor cracks 11 classrooms with minor cracks With minor damages Partially damaged room
Sarangani ato Province	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Tamban National High School Tamban National High School Tamban National High School Tuyan Integrated School Kinabalan Integrated School Kinabalan Integrated School Libi Integrated School Nop Elementary School Margus Elementary School Pangyan Elementary School San Roque Adarna Elementary School Banisilan Central Elementary School Riverside Primary School Rancho Elementary School Banayal Elementary School		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 18 classrooms with minor damages 1 classrooms with minor damages With cracks and broken glass With cracks and broken glass With cracks in different buildings 7 classrooms with minor cracks With minor cracks 3 classrooms with minor cracks 11 classrooms with minor cracks With minor damages Partially damaged room
Sarangani ato Province	Malalag Central Elementary School Calatungan Elementary School Glan School of Arts and Trade Alabel National High School Alabel Central Integrated Sped Center Ladol Elementary School Leopoldo Dacera Integrated School Tokawal National High School Alegria Central Elementary School Alegria National High School Alegria National High School Tamban National High School Malalag Cogon National High School Tuyan Integrated School Kinabalan Integrated School Libi Integrated School Libi Integrated School Nop Elementary School Margus Elementary School Pangyan Elementary School San Roque Adama Elementary School Banisilan Central Elementary School Riverside Primary School Riverside Primary School Rancho Elementary School		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 classrooms with minor damages 4 classrooms with minor damages 7 classrooms with minor cracks 18 classrooms with minor cracks 18 classrooms with minor cracks 16 classrooms with minor damages 16 classrooms with minor damages With cracks and broken glass With cracks in different buildings 17 classrooms with minor cracks With minor cracks 3 classrooms with minor cracks 11 classrooms with minor cracks With minor damages Partially damaged room

A CONTRACTOR OF THE PARTY OF TH	PARTICULARS	DAMAGED	DAMAGED	REMARKS
	Bituan Elementary School	1	7-1	Rooms of Grades 5 and 6 and old school building un occupancy
1	Daig Elementary School Dapok Elementary School	1 -		Major damages in classrooms of Grades 1, 2, 5, a
	Damawato Elementary School		1	1 room with cracks on walls 1 room with cracks on walls
	Galidan Elementary School Kanibong Elementary School		1	1 room with cracks on walls
	New Panay Elementary School	12	1	4 classrooms with minor damaged 5 classrooms partially damaged (minor)
	Lampagang Elementary School		1	1 room with cracks on walls
	Magbok Elementary School	1		Major damaged (computer room, kindergarten room,
	Marbula Elementary School	-	1	kitchen and collapsed comfort room 7 rooms with cracks on walls
	Minapan Elementary School Minapan National High School	-	1	6 rooms with cracks on walls
	Bunawan Elementary School		1	1 room with cracks on walls 5 rooms with cracks on walls
Tulunan	New Caridad National Vocational & Technological High School New Caridad National High School		1	
	New Caridad Elementary School	1	-	All classrooms unsafe for occupancy 5 rooms with cracks on walls
	New Panay National High School New Panay Elementary School	-	1	1 room with cracks on walls
	Paraiso National High School	-	1	1 room with cracks on walls 3 rooms with cracks on walls
	Paraiso Elementary School	-	1	1 room with cracks on walls
	Maybula Elementary School Tuburan Elementary School	-	1	
	G. Baynosa Elementary School	-	1	2 rooms with cracks on walls
-	Magbok Alliance Center Nabundasan Elementary School and Day Care Center	-	1	
	Dimakanit High School	-	1	Library
	Brgy. Tambac Day Care Center	-	1	Library
-	New Bunawan Day Care Center Poblacion Elementary School	-	1	
	Poblacion High School	-	1	
	Notre Dame of Tulunan	-	1	
	La Esperanza Central Elementary School Tambac Elementary School	-	1	
	New Alimodian Elementary School		1	
	F. Cajelo Elementary School and Day Care Center	-	1	
	New Bentangan Primary School Old Bentangan Elementary School		1	
Carmen	Tonganon Elementary School	-	1	
	Aroman Elementary School	-	1	
	Capayangan Elementary School	-	1	
	Olandang National High School	-	1	
-	Salunayan Hs - Nabalawag Hs Annex Sadaan Elementary School	-	1	
	Malingao Elementary School	-	1	
Midsayap	Kimagango Central Elementary School		1	
	Rangeban Elementary School	-	1	
-	Eliseo Elementary School		1	
	Dr. C.H. Deles Elementary School	<u> </u>	1	
	Central Bulanan Elementary School			
3	Marciano Dahan High School	-	1	
	F.A. Andolana Memorial National High School	-	1	
Arakan	Meocan High School	-	1	
	Greenfield National High School	-	1	
	Katipunan High School Nicaan High School	-	1	
	Kitubod High School		1	
	Kitubod Figh School Kitubod Elementary School	-	1	
	Libungan High School	-	1	
Libungan	Kioyao Elementary School	-	1	
		-	1	
	Sinapangan Elementary School		1	
-	Grebona Pre-School	1	7/2	1 Building for demolition
-	Cabpangi Elementary School	-	1	
	Sinawingan Elementary School	9=1	1	
	Katidtuan Central Elementary School	-	1	
Kabacan	Kabacan Senior High School Kabacan National High School	-	1	
	St. Luke's Institute	-	1	
	Notre Dame of Kabacan, Inc	-	1	
	Magpet National High School	-	1	
Magpet	Noa Elementary School	-	1	
	Owas Elementary School Manumba National High School	1-1	1	
	Sultan Memorial High School		1	
	Binandal Primary School	-	1	
	Balong Elementary School	1	1	
	Dulangan M. Abid Elementary School	-	1	
	Kabasalan Elementary School		1	
Pikit	Katilacan Primary School	-	1	
1	Kolambog Elementary School	-	1	
	Macabual Elementary School	15	1	
	Mapagkaya Elementary School		1	
	Nunguan Elementary School		1	
	Punol Elementary School	-	1	
Pikit	Silik Central Elementary School		1	
Pikit	Datu Bitol Mangansakan Memorial Elementary School	-	1	
Aleosan	Batulawan Central Elementary School Tomado Elementary School	-	1	
	Sarayan Elementary School	-	1	
	Sarayan High School		1	
	Dalapitan Elementary School	-	1	
	Diosdado Almarines Elementary School		1	
	Dalapitan High School	-	11	
			1	

- AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Matalam	Bangbang Elementary School	-	1	
	Poblacion High School	-	1	
	Taguranao High School New Alimodian High School	127	1	
	Linao High School	-	1 1	
	Kibia High School		1	
	Rodero Elementary School		1	
	San Isidro Elementary School Sitio Mainit Elementary School		1	
	New Israel Elementary School	-	1 1	
	Makilala National High School	-	1	
	Kisante National High School Kisante Central Elementary School	-	1	
	Kabilaw Elementary School		1	
	Buena Vida Elementary School	-	1	
	Balawan Elementary School	-	1	
Makilala	Agustin Doneza Elementary School Notre Dame of Makilala	-	1	
	Katipunan II	-	1	
	Malungon Elementary School Asuncion Elementary School	-	1	
	Ricardo L Ipong National High School	-	1	
	Braulio G. Dano Elementary School Malungon High School	-	1	
	New Israel National High School		1	
	Day Care Center	-	1	
	Taluntalunan Elementary School	-	1	
	New Cebu Elementary School	-	1	
	M'lang National High School	-	1	2 buildings with crackson walls
	Mariano Untal Memorial High School	-	1	Visible cracks, collapsed walls, and damaged ceiling
	New Janiuay Elementary School	-	1	
	Nueva Vida National High School	-	1	Visible diagonal cracks and cracks on columns and bea
M'lang	Calanusan National High School Poblacion National High School		1	3 classrooms with minor damage
	Langkong Day Care Center	-	1	
	Nueva Vida Day Care Center Barbaza Elementary School	-	1	
	Dungoan Elementary School	-	1	
	La Suerte Elementary School Lake Agco Integrated School	-	1	
	Mateo Elementary School	-	1	
-	Nuangan Integrated School	-	1	
	Paco National High School Ray Buenaventura A. Sabulao Memorial Elementary School	-	1	
	Sibawan Elementary School	-	1	
	Sikitan Elementary School Malinan Elementary School	-	1	Ma Red Constant
	Marbel Elementary School	-	1	Multiple cracks Multiple cracks
	Amas National High School	-	1	Cracks in classrooms extended from previous cracks
	Supadin (Habitat Elementary School) Kalaisan Elementary School	-	1 1	Cracks on walls
Kidapawan City	Juan L. Gantuangco School of Arts and Trade	-	1	With major damages With major damages
	Cayetano A Javier Memorial Elementary School	-	1	vviii majoi damages
	Manongol National High School Junction Elementary School	-	1	With major damages
	Kalaisan Elementary School	-	1	4 classrooms partially damaged (minor)
	Kidapawan City Pilot			3 classrooms partially damaged (minor)
	Elementary School	-	1	13 classrooms partially damaged (major) and 14 classro partially damaged (minor)
	Meohao Elementary School	_	1	
	Singao Integrated School	_	1	4 classrooms partially damaged (minor) 1 classroom partially damaged (minor)
	Suerte Memorial Elementary School	-	4	1 classroom partially damaged (minor)
	Sumbac Elementary School	-	1	4 classrooms partially damaged (minor)
	Kidapawan City National High School Saniel Cruz High School		1	
Pres. Roxas	Guinto Elementary School	1-1	1	
Cotabato		0	82	
	Lake Sebu Central Elementary School	(7)	1	
Lake Sebu	Ned National High School Diente Elementary School	-	1	
	Tubog Elementary School	-	1	With major damages
	Carpenter Hill Elementary School	-	1	Title major damayes
	Chua Elementary School	-	1	
	Concepcion Nationa High School			
	TO A THE SELECTION OF THE PROPERTY OF THE SELECTION OF TH		1	
	Esperanza National High School	-	1	
Koronadal City	Koronadal Central Ii Elementary School	-	1	
Moronadar Ony	Koronadal National High School		1	
	Magsaysay Elementary School	-	1	
			1	
	Namnama Elementary School	2		
			1	
	Namnama Elementary School	-	1	
	Namnama Elementary School Osita Central Elementary School	-	1	
	Namnama Elementary School Osita Central Elementary School Saravia National High School		1 1	With order described
Koronadal City	Namnama Elementary School Osita Central Elementary School Saravia National High School Sta. Cruz Elementary School Marbel 7 National High School Mabini Elementary School	-	1	With major damages With major damages
Koronadal City	Namnama Elementary School Osita Central Elementary School Saravia National High School Sta. Cruz Elementary School Marbel 7 National High School Mabini Elementary School Mangga Elementary School		1 1 1 1 1 1 1	With major damages With major damages With major damages
Koronadal City	Namnama Elementary School Osita Central Elementary School Saravia National High School Sta. Cruz Elementary School Marbel 7 National High School Mabini Elementary School	-	1 1 1 1	With major damages

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
-	Panay Elementary School	0	1	
Sųrallah	Centrala National High School		1	
-	Purok Sison Elementary School	-	1	
-	Lambusong Elementary School	-	1	
	Colongulo National High School		1	
-	Dole Cannery Central Elementary School Eustacio Barcatan Elementary School	•	1	
F	Nicolas B. Barreras National High School - Bentung Sulit National High School	-	1	
Polomolok	Annex	121	1	
- Comolox	Poblacion Polomolok National High School Polomolok National High School		1	
	Polo Integrated School		1	
	Eugenio Llido Rañada Elementary School		1	
	Kalyong Integrated School	-	1	
-	Ambalgan Elementary School Guinsang-An Elementary School		1	
	J. Blanco Elementary School	-	1	
Santo Niño	New Sara Elemantary School		1	
-	Panay Elementary School San Isidro Elementary School	-	1	
	San Vicente Elementary School	-	1	
	L. T. Morales Elementary School		1	
Norala	Norala National High School	-	1	
_	San Vicente National High School - Banga National High School Annex		1	
	Upong Elemntary School Ebenezer Elementary School	-	1	
Banga	Kusan Elementary School		1	
	Lamba National High School - Banga National High School Annex		1	
<u> </u>	Lamkot Elementary School Lampitak Elementary School	-	1	
	Malaya National High School - Banga National High School Annex	-	1	
<u> </u>	Sinolon Elementary School	<u> </u>	111	
<u> </u>	Tboli National High School Toril Elementary School	- :	1	
	Aflek Elementary School	-	1	
T'Boli	Aflek National High Schoo - Edwards National High School Annex	-	1	
	Edwards Elementary School Basag National High School - Tboli Annex		1	
	Malugong Central Elementary School	-	1	
	Maan National High School - Tboli Annex	2	1	
-	Tampakan National High School	-	1	
Tampakan	Danlag Elementary School Danlag National High School - Tampakan National High School Annex	-	1	
	Escobillo Elementary School		1	
	Datal Biao Integrated School	-	1	
Tantangan	Tantangan National High School	-	1	
	San Felipe Elementary School	-	1	
1	Acfaon Elementary School, Bunao		1	Minor cracks in 4 rooms
-	Bunao, Elementary School, Bunao		1	Minor cracks in 4 rooms
-	Recardo Avila Elementary School, Linan Cebuano National High School		1	Minor cracks in 1 room
	Tupi NHS, Poblacion		1	Minor cracks in stock room and ceiling of 4th floor
Tupi	Bolomala Elementary School, Bolomala		1	Minor crack
	Atbangan Elementary School Palian Elementary School, Poblacion	-	1	Minor cracks in 8 rooms and ceiling of clinic
	Tupi Central Elementary School, Poblacion	-	1	Minor cracks in 13 rooms Minor cracks in 5 rooms
_	Heneral Paulino Santos Memorial Institute	¥ 1	1	Militar Gradita III o Tooliis
-	Upper Tupi Elementary School Odal High School	-	1	
	Baquial National High School		1	Minor cracks in 3 rooms and crack on portion of bea
udarat		1	59	Willion Gracks in 3 100ms and Grack on portion of Bea
Bagumbayan	Bai Saripinang Elementary School	-	1	
-	Bambad Central School Bambad National High School		1	
Isulan	Bual Elementary School	-	1	
	D. Lotilla Elementary School	-	1	
	Bilumin Elementary School		1	
1	Lambayong National High School	-	1	
Lambayong	Pidtiguian Elementary School Pimbalayan Elementary School	-	1	
	Tinumigues Elementary School	-	1	
	Matiompong Elementary School E. Arcaña Memorial National High School		1	
<u> </u>	E. Arcana Memorial National High School Lagandang Elementary School	-	1	
	Lebak National High School	-	1	
Labali	Mangudadatu National High School - Villamonte Annex	-	1	
Lebak	Lebak Legislated National High School	(F)	1	
	Purikay National High School Tran National High School	-	1	
	•		1	1 classroom totally damaged
W-1	Pakil Elementary School		1	14 classrooms totally damaged
Kalamansig	Kalamansig National High School	-	1	With cracks; not suitable for occupancy
	Sucob Elementary School	1	(4)	Several rooms declared unsafe for occupancy
_	Datalblao Elementary School	-	1	Minor cracks
Columbia	Lam-Alis Elementary School		1	Minor cracks
Columbio				Willion Clacks
_	Zeneben Integrated School	16	1	
	Maligaya Integrated School	-	1	5 classrooms partially damaged (major) & 1 classroom p
	Ala Central School			damaged (minor)
_	Kangkong Elementary	-	1	7 classrooms partially damaged (minor)
Esperanza —	Numo Elementary School	•	1	1 classroom totally damaged
	Pamantingan Elementary	-	1	5 classrooms partially damaged (minor)
	Kadi Elementary School	-	1	2 classrooms partially damaged (minor)
en Ninoy Aquino	Senator Ninoy Aquino	-	1	2 classrooms partially damaged (minor)
	Tinalon Elementary School		1	1 classroom partially damaged (minor)
			710	2 alegans
	Palumbe Integrated School	-	1	2 classrooms partially damaged (minor) 2 classrooms partially damaged (minor)

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
_	New Isabela Central Elementary School	175	1	
15 34	Tacurong National High School		1	
	Amado Fernandez Elementary School		1	
_	San Emmanuel National High School	17	1	
_	Pedregosa Acosta Elementary School	(17)	1	
	Casilda P Venus Elementary School	(*)	1	
	Tina Elementary School	(*)	1	
	San Antonio Elementary School	-	1	
	Jose Alcasid Elementary School		1	
	AS Bernardo National High School	-	1	
Tacurong	Ma. A. Montilla Elementary School	-	1	
	Tacurong National High School Annex	-		
	Rajah Muda National High School		1	
-	Lourdes Pama Elementary School		1	
		*	1	
<u> </u>	Lancheta Magallon Elementary School	-	1	
_	Kalandagan Elementary School	-	1	
	VF Griño Memorial National High School	-	1	
	Dr. Manuel Griño Elementary School		1	
	Calean Daycare Center		1	
	Tacurong Pilot Elementary School		1	
	Elisa P Bernardo Elementary SChool Main		1	
	Ma. Z. Bayya Elementary School			DSG W
	New Lagao Elementary School	-	1	2 classrooms partially damaged (minor)
			1	1 classroom totally damaged
Lagao	Datu Sambilan Elementary		1	2 classrooms partially damaged (minor)
Tampakan	Tampakan Central Elementary School		1	2 classrooms totally damaged
RMM		0	31	y damaged
abato City		0	17	
	Muamad Elementary School	-	1	
-	•			
-	LR Sebastian High School	-	1	
	LR Sebastian Elementary School	-	1	
· ·	Cotabato City National High School - Annex (Don E. Sero Site) Cotabato City National High School - Annex (Lr Sebastian Site)	-	1	
	Canizares National High School		1	
	Diocolano Elementary School		1	Maria
	Sero Central School		1	With major damages With major damages
	Notre Dame Village Central Elementary School		1	With major damages
	Notre Dame Village National High School		1	With major damages
	J. Marquez National High School	-	1	With major damages
	Don E Sero Elementary School		1	With major damages
	Mandanas Elementary School	-	1	With major damages
	J. Marquez Elementary School		1	With major damages
	Tamontaka Central School		1	
				With major damages
	P.C. Hill Elementary School	-	1	
	Datu Ayunan National High School	-	1	With major damages
juindanao		0	14	•
Datu Odin Sinsuat	Camp Ebrahim Sema Elementary School		1	
Upi	Nangi National High School			
		•	1	
Ampatuan	Kauran Elementary School	-	1	
	Kauran National High School		1	
	Simuay Junction Central Elementary School	-	1	
Sultan Kudarat	Camp Darapanan Integrated National High School		1	
	Alamada Elementary School	12	1	
	Sandakan Elementary School		1	
Sultan Kudami	Datu Manguda Mangilay Memorial Elementary School		1	
Sultan Kudarat	Hadji Edza Memorial Elemetary School	-		
			1	
0.4	Sultan Mastura National High School	(4)	1	
Sultan Mastura	Talayan National High School		1	
	Linamunan Elementary School		1	
Maguindanao	Guinto Elementary School			
ALTH FACILITIES	Common Elementary Composition	The particular and the second	1	2 classrooms partially damaged (major)
		2	43	通量分类 大学 一基 化非常压制性系统
on XI		0	10	
ao del Sur		0	8	The second secon
27 (523)	Davao del Sur Provincial Hospital	2	1	
Digos City	MCDC Hospital			
	100 miles (100 miles (1	
Bansalan	Tubod Health Center	(40)	1	
	Kinuskusan Health Center	4	1	
Hagonoy	Hagonoy Health Center	-	1	
Kiblawan				
Misiawan	Sto. Niño Health Center	-	1	
Matanao	Municipal Health Office	=	1	Partially damaged ceiling, toilet, and receiving area
	Kapoc Municipal Health Center	-	1	of and receiving area
o del Norte	900 000 100 000 p. mp. 0000000000	0		
Sto. Tomas	Municipal Health Offi-		1	
	Municipal Health Office		1	Minor cracks at room walls and slab ceilings
postela Valley		0	1	
Montevista	Compostela Valley Provincial Hospital Montevista	(4	1	Minus dans
on XII				Minor damage
bato Province		2	33	
		2	28	
Aleosan	Rural Health Unit Laboratory		1	Cracks on walls
Arakan	Barangay Health Center - Ma. Caridad		1	MANAGEMENT AND THE PROPERTY OF
Kabacan				Cracks on walls
, was a suit	Desseret Hospital		1	Cracks on walls
	Midway Hospital		1	
	Kidapawan Doctor's Hospital	-	1	
Kidapawan City		-		
Kidapawan City	Kidapawan Medical Specialist Center		1	
Kidapawan City				

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
2	Barangay Health Center - Tuael		1	Cracks on walls
Pres. Roxas	Barangay Health Service - Lomonay	-	1	
	Barangay Health Service - Lama-Lama		1	
M'lang	Roldan Hospital		1	Sustained multiple cracks
_	Barangay Health Service - Concepcion	19	1	Cracks on walls and flooring
Makilala -	Carmen Municipal Hospital	-	1	Sustained cracks on walls
_	Barangay Health Service - Poblacion	35	1	
	Barangay Health Service - Old Bulatukan	7.5	1	
	Barangay Health Centers (Batang, Daig, Bituan, Damawato, La Esperanza, Bunawan, Panay, Paraiso)	1	7	BHS in Brgy. Paraiso is totally damaged
F	Birthing Center in Brgy. Paraiso	1		Brio in Brgy. Faraisons totally damaged
Tulunan	Sorilla Medical and Maternity Clinic		-	
-	Birhen sa Regla Medical Clinic and Hospital	-	1	With minor cracks
V 20000000000	Arakan Valley District Hospital	-	1	With minor cracks
Antipas -	Antipas Medical Specialist Hospital, Inc.	-	1	
Tupi	Roel I. Senador Memorial Hospital	-	1	Minor cracks in operating room
gani		0	3	minor cracks in operating room
Maitum	Rural Health Unit - Maitum		1	
Malungon	Rural Health Unit - Malungon	200	1	
Alabel	Sarangani Provincial Hospital	(1-1)	1	
n Kudarat		0	2	
Esperanza	Barangay Health Service - Saliao		1	
Bagumbayan	Birthing Home		1	
R PUBLIC STRUCTU		6	108	William Committee of the Committee of th
n XI		4	54	
del Sur		4	48	
Magsaysay	Magsaysay Municipal Hall	-	1	
	Matanao Municipal Hall	(2)	1	
	GKK of Kape	-	1	Cracks on upper portion of altar
	Municipal Supergymnasium	(*)	1	Minor crack on front portion and toilet area
	MDRRMC Operation Building	12	1	Major and minor cracks on kitchen wall and storage roo
	Municipal Fire Station		1	Minor cracks on walls and damaged finishings
11111022000000000	ABC Building	-	1	oracia on waits and damaged finishings
Matanao —	Anisan Water Reservoir	_	1	
	Anisan Day Care Center	-		
-			1	
-	Kapoc Municipal Hall		1	
-	Kapoc Municipal Supergym	-	1	
_	Kapoc MDRRMC OpCen	-	1	
	Kapoc ABC Building	-	1	
Digos City	SSS Digos City	2	1	
	Poblacion Dos Public Mall		1	
	Poblacion Dos Municipal Hall	-	1	
	Poblacion Dos Legislative Building	2	1	
	New Clarin GKK Building	1		
	New Clarin Barangay Hall	-	1	
	Rizal GKK Building	-		
	Bitaug Tribal Hall		1	
-	Bitaug Daycare Center		1	
Bansalan —	Tubod Daycare Center	-	1	
-	·	-	1	
-	Tubod Multi-Purpose Building	2	1	
<u> </u>	Tubod Barangay Hall	ē	1	
_	Linawan Tribal Hall	-	1	
<u></u>	Linawan Barangay Hall	ū	1	
	Darupuay Mini Gym		1	
	Kinuskusan Barangay Hall		1	
	Kinuskusan Daycare Center		1	
	BFP Station Building	-	1	
	ChenWu Building		1	
	Baron Yee Commercial Building		1	
Padada	Plaza Solita			
		-	1	
-	Tulugan Barangay Hall		1	
	Palili Barangay Hall		1	
	Palili Gym		1	
_	Hagonoy Municipal Hall	/ -	1	
	PNP Station	-	1	
0.070	NCDC		1	
Hagonoy	Agriculture Office	14	1	
	MSWD Office	-	1	
	Hagonoy SB Building	(-)	1	
	Guihing Gym		1	
	Poblacion Barangay Hall			
<u> </u>			1	
-	Poblacion Gym	•	1	
Kiblawan	Sto. Niño Barangay Hall	(2)	1	
_	Manual Water Reservoir		1	
	Manual Electric Post	1	-	
	Abnate Day Care Center	222	1	
Kiblawan	Latian Barangay Hall	1	-	
Malalag	Malalag ABC Building	1		
del Norte				

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
	Kalahi Building	-	1	Hairline/minor cracks at room walls
Sto. Tomas	Australia Aid Building	((e)	1	Minor cracks at room walls and slab ceilings
	Municipal Information Office	12	1	Hairline cracks
_	Municipal Assessors Office		1	Sagged wooden beam at the mezzanine
Panabo City	Dangpanan ni Tomas	-	1	Minor and hairline cracks on walls
Region XII	Panabo City Hall	-	1	Minor cracks
Cotabato Province		2 2	53 16	
	angay Halls (Batang, Daig, Bituan, Damawato, La Esperanza, Bunawan, Caridad,	2		P
Tulunan	Panay, Paraiso)		7	Barangay Hall in Paraiso and Batang are totally damaged
ansah-setti seri	Barangay Taculen Covered Court		1	
	Barangay Hall - Singao	_	1	Construction
Kidapawan City	Phil Post Office Building		1	Cracks on walls
	CDA Building Land Transportation Office	-	1	
M'lang	Barangay Hall - Nueva Vida		1	Visible diagonal cracks
Makilala	Sanguniang Bayan Building Fire Station	141	1	Sustained cracks on walls/ partially falling of ceiling
Carmen	Municipal Hall	-	1	Sustained multiple cracks on walls Slightly damaged ceiling
outh Cotabato Province		0	4	ongraty admaged centrig
_	Linan Brgy. Conference Hall Cebuano Brgy. Hall	-	1	
Tupi	Polonoling Brgy. Hall	*	1	
eneral Santos City	Municipal Hall		1	
	City Hall - Gensan	0	1	Cracks on walls
arangani		0	9	Cracks on walls
	COA Building BFAR Building	-	1	
	Senior Citizen's Office		1	
Alabel	PNP Building Municipal Main Building		1	
,	Poblacion Brgy Hall	-	1	
	SB Building PCSO Building	-	1	
	Capitol Gym	-	1	
ultan Kudarat		0	23	
	Buenaflor Barangay Hall New Isabela Barangay Hall		1	
	D'Ledesma Brgy Hall	1	1	
	City Health Building Baras Barangay Hall	- 2	1	
Tacurong City	Calean Brgy Hall	-	1	
	Senior Citizen Building	-	1	
	New Lagao Brgy Market Building Brgy. Poblacion Division Office Building	-	1	
	San Pablo Brgy Hall	-	1	
	San Emmanuel Brgy Hall Municipal Hall		1	
	MSWD Office	-	1	
Bagumbayan	Senior Citizen's Office Municipal Engineering Office	-	1	
	Municipal Agriculturist's Office	-	1	
	Barangay Hall (Poblacion)	-	1	damaged 2nd floor ceiling (safe for occupancy)
	Municipal Hall MSWD Office	-	1	Multiple cracks
Columbio	Senior Citizens Office		1	Minor cracks Minor cracks
_	Municipal Engineering Office Municipal Agriculture Office		1	Minor cracks
	Birthing Home		1	Minor cracks Minor cracks
ARMM		0	1	Willion Cracks
aguindanao Sultan Kudarat	Office of the District II Supervisor	0	1	
LACES OF WORSHIP	Office of the District II Supervisor	4	1 28	TO STORE SAID SAID SAID TO SERVICE SAID SAID SAID SAID SAID SAID SAID SAID
egion XI		2	10	
avao del Sur		2	10	
Matanao	St. Michael Parish	-	1	Minor cracks
	St. Michael Parish (Anisan)	-	1	IVIIIIOI CIACKS
	Kapoc GKK (Chapel)	-	1	
Hagonoy	Guihing Mosque		1	
Kiblawan	Silang Assembly of God	1	-	
	Tacul Baptist Church	1	2	
Bansalan	Churches in Bitaug	-	1	
	5 churches in Darupuay	-	5	
egion XII		2	17	
otabato Province	Church of Down Board	2	17	
	Church at Brgy. Banayal Church in Brgy. Bituan	9.53 185	1	Cracks on walls
Tulunan	Chapel in Brgy. Paraiso	1	1	Cracks on walls
rudian	Aglipay Church in San Ramon	(-	1	
-	San Ramon Chapel Public Shrine in Lampagang	- 1	1	_E
	Saint John Mary Vianney Parish	1	- 1	For reconstruction
	Our Ladi Mediatrix of All Grace Cathedral		1	
	Guadalupe Church		1	
	4 Square Church		1	
	4 Square Church Kidapawan Four Square Church	75	1	
	Victory Chapel Christian Center	(4)	1	
Kidapawan	Kidapawan City Assembly of God		1	
	Southern Baptist Church/Baptist	140	1	
-		-	1	
	Mosque at Barangay Poblacion Mosque at Lapu-lapuy Street	(8)	1	
-	Alliance Church	(*)	- 1	
	Alliance Church	727	1	
	Seventh Day Adventist Church	2.00	1	

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Тирі	Sta. Teresita Parish Church, Poblacion		1	Minor cracks at the altar
ARMM		0	1	
laguindanao :			1	
Talayan Talayan	Talayan Golden Mosque	-	1	
RIVATE / COMMERCIAL ES	TABLISHMENTS	2	27	· 自己的证明,但是是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一
egion X		0	1	
isamis Oriental		0	1	
Cagayan de Oro City	Luxe Hotel		1	Cracks on walls
egion XI		0	11	
avao del Sur		0	11	
-	Gaisano Market Place Novo Department Store	-	1	
	Laderas Bidg.	-	1	
	Gaisano Mall		1	
1200	Gaisano Center		1	
Digos City	Gaisano Grandmall	-	1	
_	BDO Aurora		1	
-	BPI Quezon Ave.	*	1	
	BDO Zone 3 Gaisano Center Don Pedro Estrada	-	1	
	UniCity		1	
egion XII		2	15	
eneral Santos City		1	2	
	Gaisano Mall	1	-	Fire incident at portion of the building in furniture section
	SM Mall		1	Shattered glasses
otabato Province	Veranza Mall		1	Sustained cracks on walls and shattered glasses
Midsayap	Neva Building (Commercial)	1	12	
Tulunan	Novo Building (Commercial) Commercial	- 1	1	Slightly damaged
	Grand Shine Hotel	-	1	Totally damaged
-	Aj Hi-Time Hotel an Restaurant		1	
	Sudapin Coffee		1	
	Romeo W. Ma Building		1	
Kidapawan City ——	Mang Inasal Master Marketing		1	
	Imperial Appliance Plaza		1	
	Mediatrix Multi-Purpose Cooperative Buildings		1	
	Bishop Residence		1	
	Gaisano Grand Mall		1	
outh Cotabato Koronadal City		-	1	
OADS AND BRIDGES	KCC Mall	A CONTRACTOR OF THE PARTY	1	Sustained cracks on walls and ceillings
THE RESIDENCE OF THE PARTY OF THE PERSON OF		0	13	为实现的现在分词
egion X		0	1	
samis Oriental		0	1	
Cagayan de Oro City	JR Borja Bridge		1	Cracks on the bridge
egion XI		0	4	Cracks on the bridge
vao del Sur			And the second second	
	W. W	0	4	
Matanao	Katipunan Bridge	1.5	1	Not passable
	New Katipunan Bridge	-	1	Passable to motorcycles only
Kiblawan	Tacub Road	V21	1	Not passable due to landslide
Molayall	Bulolsalo Road		1	Not passable due to landslide
gion XII		0	8	ivot passable due to landslide
tabato 2nd District Enginee	ering Office	0	5	
	Dualing-Baliki Silik Road	-	1	Cenalia a
	Midsayap-Makar Road (Olandang Bridge 2 &3)		4	Cracks on carriage way
	Banisilan-Gulling Road (Malupog & Malitubog Bridge)	-	1	Cracks on bridge and bank protection Cracks on bridge abutment
	Dualing-New Panay Road	*_		CONTRACTOR OF COLOR OF THE COLOR
	(Arizona and Upper Panicupan Bridge)	75	1	Cracks on bridge bank protection
rangani District Engineerin	Bridge in New Caridad Connecting to Luz Village	-	1	
. agam District Engineering	Maitum-Lake Sebu Road	0	2	
	K1778+300 RS	(-)	1	Road slip; warning signs have been installed
				Cracks on beams of bridge; for further structural inspection
uth Cotabato 2nd District	Digos - Makar Road, Buayan Bridge, Malungon	(66)	1	investigation
outh Cotabato 2nd District E	ngineering Office	-	1	<u> </u>
	Upper Silway Bridge (Digos - Makar Road)	17,894	1	Cracks were noted on the beam of bridge (16mm to 18mm) a alligator cracks on slab; Installed warning signs and assigne

Sources: OCDROS X, XI, XII, and BARMM, DEPED, DPWH, and DSWD DROMIC Report No. 11 on EQ Incident in Tulunan, Cotabato as of 24 October 2019, 6:00 PM Note: Figures are still subject for validation and verification. Decrease in the number of damaged schools is due to continuous validation.

Effects of Magnitude 6.3 Earthquake in Tulunan, North Cotabato POWER SUPPLY

as of 29 October 2019, 12:00 NN

MAGNITUDE 6.6 EQ ON 29 OCTOBER 2019

PROVINCE	AFFECTED AREAS	DATE OF INTERRUPTION / OUTAGE	REMARKS
GRAND TOTAL:			
REGION XI			
	M'lang	29 October 2019	
	Makilala	29 October 2019	
	Arakan	29 October 2019	
Cotabato	Kabacan	29 October 2019	
Cotabato	Carmen	29 October 2019	
	President Roxas	29 October 2019	
	Magpet	29 October 2019	
	Matalam	29 October 2019	
South Cotabato	Koronadal City	29 October 2019	
Journ Cotabato	General Santos	29 October 2019	
Sultan Kudarat	Bagumbayan	29 October 2019	
Sarangani	Kiamba	29 October 2019	

MAGNITUDE 6.3 EQ ON 16 OCTOBER 2019

PROVINCE	AFFECTED AREAS	DATE OF INTERRUPTION / OUTAGE	REMARKS
GRAND TOTAL:	39		
REGION XI	15		
	Bansalan	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	City of Digos	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Hagonoy	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Magsaysay	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
Davao del Sur	Matanao	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Padada	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Santa Cruz	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Kiblawan	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Malalag	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Sulop	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Don Marcelino	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
Davao Occidental	Jose Abad Santos (Trinidad)	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Malita	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
Davao Occidental	Sarangani	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
	Santa Maria	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 10:13 PM
REGION XII	24		
	Kidapawan City	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
Cotabato	Antipas	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Arakan	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Magpet	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM

PROVINCE	AFFECTED AREAS	DATE OF INTERRUPTION / OUTAGE	REMARKS
	Makilala	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	President Roxas	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Banisilan	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
0.41.4	Carmen	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
Cotabato	Kabacan	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Matalam	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Mlang	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Tulunan	16 October 2019, 7:40 PM	Power was restored on 17 October 2019, 12:43 AM
	Lutayan	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Tampakan	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Banga	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Koronadal City	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:16 PM
	General Santos City	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 8:03PM
South Cotabato	Lake Sebu	16 October 2019, 7:36 PM	Power was restored on 16 Octobe 2019, 8:03PM
	Norala	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Santo Nino,	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Surallah	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Tantangan	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
	Tboli	16 October 2019, 7:36 PM	Power was restored on 16 October 2019, 8:03PM
Sultan Kudarat	Luntayan	16 October 2019, 7:37 PM	Power was restored on 16 October 2019, 8:16 PM

Sources: DOE and OCDRO XII

Effects of Magnitude 6.3 Earthquake in Tulunan, North Cotabato SUSPENSION OF CLASSES As of 29 October 2019, 12:00 NN

Magnitude 6.6 Earthquake

Region/Province/City/Municipality	Remarks	Date of Suspension	Date of Resumption
Region XII	The state of the s		
Cotabato			
Matalam	All levels (private and public)	29 October 2019	
Pres. Roxas	All levels (private and public)	29 October 2019	
Alamada	All levels (private and public)	29 October 2019	
Tulunan	All levels (private and public)	29 October 2019	
Kidapawan City	All levels (private and public)	29 October 2019	
Magpet	All levels (private and public)	29 October 2019	
Aleosan	All levels (private and public)	29 October 2019	
Pigcawayan	All levels (private and public)	29 October 2019	
Banisilan	All levels (private and public)	29 October 2019	
South Cotabato	(private and public)	20 October 2019	
Norala	All levels (private and public)	29 October 2019	
Tupi	All levels (private and public)	29 October 2019	
General Santos City	All levels (private and public)	29 October 2019	
Polomolok	All levels (private and public)	29 October 2019	
Lake Sebu	All levels (private and public)	29 October 2019	
T'boli	All levels (private and public)	29 October 2019	
Sto. Nino	All levels (private and public)	29 October 2019	
Surallah	All levels (private and public)	29 October 2019	
Norala	All levels (private and public)	29 October 2019	
Koronadal City	All levels (private and public)	29 October 2019	
Sarangani		20 000001 2010	
Malungon	All levels (private and public)	29 October 2019	
Alabel	All levels (private and public)	29 October 2019	
Malapantan	All levels (private and public)	29 October 2019	
Maitum	All levels (private and public)	29 October 2019	
Glan	All levels (private and public)	29 October 2019	
Kiamba	All levels (private and public)	29 October 2019	
Sultan Kudarat	(private arra papiro)	20 October 2010	
Esperanza	All levels (private and public)	29 October 2019	
Isulan	All levels (private and public)	29 October 2019	
Columbio	All levels (private and public)	29 October 2019	
Tacurong City	All levels (private and public)	29 October 2019	
Bagumbayan	All levels (private and public)	29 October 2019	
Pres. Quirino	All levels (private and public)	29 October 2019	
Senator Ninoy Aquino	All levels (private and public)	29 October 2019	
Lebak	All levels (private and public)	29 October 2019	
Lutayan	All levels (private and public)	29 October 2019	

Magnitude 6.3 Earthquake

Region/Province/City/Municipality	Remarks	Date of Suspension	Date of Resumption
Region XII			
General Santos City	All levels	17 October 2019	18 October 2019
North Cotabato	Cancellation of work in the provincial government but all department heads and Provincial Engineering Office will be present for the conduct of damage assessment	17 October 2019	20 October 2019
Pikit	All Levels	17 October 2019	18 October 2019
Pigcawayan	All Levels	17 October 2019	
Tulunan	All Levels and work	17 October 2019	20 October 2019
Kabacan	All Levels	17 October 2019	18 October 2019
Arakan	All Levels	17 October 2019	
Magpet	All Levels	17 October 2019	
M'lang		17 October 2019	20 October 2019
Pres Roxas	All Levels	17 October 2019	18 October 2019
Carmen	All Levels	17 October 2019	
Makilala	All Levels	17 October 2019	20 October 2019
Matalam	All Levels	17 October 2019	18 October 2019
Kidapawan City	All Levels and work	17 October 2019	20 October 2019
Antipas	All Levels	17 October 2019	18 October 2019
Sarangani			
Malungon	All Levels	17 October 2019	
Kiamba	All Levels	17 October 2019	

Region/Province/City/Municipality	Remarks	Date of Suspension	Date of Resumption
Maasim	All Levels	17 October 2019	18 October 2019
Alabel	All Levels	17 October 2019	
Malapatan	All Levels	17 October 2019	
Glan	All Levels	17 October 2019	
Maitum	All Levels	17 October 2019	
Sultan Kudarat			
Lutayan	All Levels	17 October 2019	18 October 2019
Kalamansig	All Levels	17 October 2019	
Bagumbayan	All Levels	17 October 2019	
Sen. Ninoy Aquino	All Levels	17 October 2019	
Lambayong	All Levels	17 October 2019	
Columbio	All Levels	17 October 2019	
Tacurong City	All Levels	17 October 2019	
Isulan	All Levels	17 October 2019	
Esperanza	All Levels	17 October 2019	
South Cotabato			
Tupi	All Levels	17 October 2019	18 October 2019
Norala	All Levels	17 October 2019	
T'boli	All Levels	17 October 2019	
Tampakan	All Levels	17 October 2019	
Tantangan	All Levels	17 October 2019	
Koronadal City	All Levels	17 October 2019	
Lake Sebu	All Levels	17 October 2019	
BARMM			
Maguindanao	All Levels	17 October 2019	18 October 2019
Cotabato City	All Levels	17 October 2019	
REGION XI			
sland Garden City of Samal	All Levels	17 October 2019	18 October 2019
Panabo City	All Levels	17 October 2019	
Davao City	All Levels	17 October 2019	
Davao Del Sur	All Levels	17 October 2019	
Davao Occidental	All Levels	17 October 2019	
Digos City	All Levels	17 October 2019	

Sources: OCDROs XII, BARMM, and DEpEd